# Hookah and E-cigarettes: What you should know



Presented By: Mary Martinasek, PhD, RRT, AE-C

#### Outline

Background

Function and usage

Concerns

Prevalence

Lure

Effects and research

E-cigarette device

Prevalence

Concerns



#### Background

Function and usage

Concerns

Prevalence

Lure

Effects and research


E-cigarette device


Prevalence

Concerns

## Hookah Smoking

 Centuries old tradition






"Shisha, Boory or Goza"

# Egypt or Saudi Arabia



"Hookah"

#### **Africa**



"Narghile or Arghile"

## Israel, Jordan or Lebanon



#### Persia



#### **Albania**



#### Background

#### Function and usage

Concerns

Prevalence

Lure


Effects and research

E-cigarette device

Prevalence

Concerns






## Waterpipe Tobacco

- Maassel flavored tobacco
  - Shisha



## Shisha Packaging
















## Single-hose and Double-hose Hookah Pipes





## Multi-hose Hookah Pipe





## Portable Hookah Pipe












#### Portable Hookahs

















Background

Function and usage

#### Concerns

Prevalence

Lure

Effects and research

E-cigarette device

Prevalence

Concerns

#### Hookah as a Gateway













Background

Function and usage

Concerns

#### Prevalence

Lure

Effects and research


E-cigarette device

Prevalence

Concerns

### Monitoring the Future

#### Who used in last 12 months



#### National college data

105,000 students from 152 universities

30.5% had <u>ever used</u> a waterpipe/hookah 8.4% within the past month





#### Outline

Background

Function and usage

Concerns

Prevalence

#### Lure

Effects and research

E-cigarette device

Prevalence

Concerns

## Social Utility



### Positive Outcome Expectancies







#### Ease of access/low cost

Hookah, Hookahs, Shisha, and Hookah Accessories - HookahCompany.com

Page 1 of 2



MAIN MENU Home Terms of Use Shipping Information Order Status

Contact Us Hookah Information

#### HOOKAHS

- All Hookahs
- ► Shop by Price ► Top Sellers
- SHISHA
- All Shisha
- ▶ Top Sellers
- CHARCOAL

  All Hookah Charcoal
- Holland Charcoal
- ▶ Japanese Charcoal
- Natural Charcoal

#### ACCESSORIES

- ▶ Hookah Hoses
  ▶ Hookah Bowls
- Mookah Tongs
- Plastic Tips
  Metal Screens
- ▶ Foil Sheets
- Mookah Gaskets
- Mookah Brushes
- Replacement Vases
  Replacement Stems
- Replacement Trays
- Argile Wind Covers
- Hookah Bags / Cases
- ▶ Charcoal Carriers
- ► Stem Adapters ► Stem Plugs
- Check Valves
- Mose Components
- Vase Protectors
  Vase Lights
- ruse again

#### VALUE PACKS

- Hookah Value Packs
- Shisha Value Packs











Stay up to date with the latest happenings at Hookah Company and receive special offers!

Email:

Subscribe

#### Featured Items







arcoal Blue Mist Starbuzz Shisha .95! 250 Grams - Only \$19.95!

Tanglers Four Value Pack Only \$44.95!

99509 579003 &

New Hookahs (added 10-26-09)










## Special Appearances





by Star Wars

\* 6 customer reviews

Price: \$34.47 + \$4.89 shipping

Only 1 left in stock.

Ships from and sold by Seaside General Store.

Estimated Delivery Date: July 9 - 14 when you choose Standard at checkout.

· Figure comes with weapon accessories.

15 new from \$34.37 1 collectible from \$45.00













Background

Function and usage

Concerns

Prevalence

Lure

Effects and research

E-cigarette device


Prevalence

Concerns


FDA


# Why are we concerned about water pipe smoking?













#### ER visits from CO toxicity

- 12 visits
- Headache, nausea and lethargy
- ER stay = 1-5 hours



Clarke et al. Prehospital and Disaster Medicine Dec. 2012


### Exhaled CO study


(n=200)

Average smoking time 2 hours




#### Exhaled Carbon Monoxide (CO) Measurements





#### Infectious Diseases


## Aspergillosis



Invasive aspergillosis can occur as an infection with pneumonia that spreads to heart, lungs, brain and kidneys via the bloodstream




#### **TB** Transmission



# Culturing the pipes



#### Mononucleosis



#### Acute Eosinophilic Pneumonia

- 15 yo
- 19 yo
- 26 yo
- Recent history of smoking hookah consistently over 3-4 weeks

# Long term effects




# What we do know about hookah smoke?

- One hookah session versus a cigarette
  - 40 times the tar
  - 30 times the carcinogens
  - 2 times the nicotine
  - A lot more carbon monoxide



#### **Blood Nicotine Levels**

 Similar to a person who smokes ten cigarettes per day



# Is tobacco-free hookah safe?

| Tobacco                       | Non-Tobacco (Tea leaves) |
|-------------------------------|--------------------------|
| 155 mg carbon monoxide        | 159 mg carpon monoxide   |
| 464 mg tar                    | 513 mg tar               |
| Carcinogenic PAH chrysene-106 | 124                      |
| Formaldehyde 59 mcg           | II7 mcg                  |
| Acetone – II8                 | 163                      |



Background

Function and usage

Concerns

Prevalence

Lure

Effects and research

E-cigarette device


Prevalence

Concerns

FDA

#### **E-CIGARETTES**





### Types

Cigalikes



- Advanced personal vaporizers (APV)
  - AKA eGos

Mods













## U.S. Tobacco Companies

| Company Name              | Brand Examples                     | Market % | Cigarettes Sold |
|---------------------------|------------------------------------|----------|-----------------|
| Philip Morris USA         | Marlboro, Basic,<br>Virginia Slims | 46.1%    | 135.1 billion   |
| Reynolds American<br>Inc. | Camel, Doral, Winston,<br>Kool     | 24.9%    | 72.9 billion    |
| Lorillard                 | Newport, Maverick,<br>Kent         | 13.7%    | 40 billion      |
|                           |                                    |          |                 |
| All other companies       | USA Gold, Sonoma,<br>Montclair     | 15.3%    | 45 billion      |

# Philip Morris' brand



## RJ Reynold's brand



#### Lorilard's brand



#### Business is soaring

- By January 2014 there were 466 brands (each with its own Internet site)
- 7764 unique flavors



Zhu, et al., 2014 Tobacco Control



Background

Function and usage

Concerns

Prevalence

Lure

Effects and research

E-cigarette device


Prevalence

Concerns

FDA

### Monitoring the Future


Use % who used in last 30 days



## College student e-cig research


| Ever Smoked              | Frequency (n) | Percent (%) |
|--------------------------|---------------|-------------|
| <b>Electronic Device</b> |               |             |
| Yes                      | 348           | 46          |
| No                       | 409           | 54          |


## Traditional cigarette usage



Traditional Cigarette Usage By Participant

## Heard about e-cigs





# Experiences

|               | Frequency (n) | Percent (%) |
|---------------|---------------|-------------|
| Headache      | 38            | 12          |
| Throat burned | 59            | 18          |
| Stomach ache  | 12            | 4           |
| Sinus issues  | 2             | 0.6         |
| Coughing      | 79            | 24          |
| Lungs hurt    | 9             | 3           |

### Why the increase in usage?

- Youth access
- Aggressive marketing
- Low price
  - Daily users report spending \$33 vs.
     \$175/month
- Widespread availability and popularity







Background

Function and usage

Concerns

Prevalence

Lure

Effects and research

E-cigarette device

Prevalence

Concerns


FDA

## Physiological Effects (n=12-32)

- Mouth and throat irritation and dry cough at initial use
- No change in heart rate, carbon monoxide (CO) level, or plasma nicotine level
- Increase in respiratory impedance and respiratory flow resistance similar to cigarette use
- No change in lung function
- No change in cardiac function as measured with echocardiogram
- No increase in inflammatory markers

Callahan-Lyon P. Electronic Cigarettes: Human Health effects: Tob Control 2014;23:ii36-ii40. doi:10.1136

### Formaldehyde



### Direct Dripping

 VA emissions, including formaldehyde, greatly exceeded values previously reported for conventional ECIGs and combustible cigarettes, both per puff and per unit of nicotine yield





Talih, Soha, et al. ""Direct Dripping": A High-Temperature, High-Formaldehyde Emission Electronic Cigarette Use Method." *Nicotine & Tobacco Research* (2015): ntv080.

### Air quality study

- n=9
- Gas phase nicotine and glycerine
- Carcinogenic PAH increased 20%
- Aluminum increased 2.4 fold

During the vaping sessions substantial amounts of 1,2-propanediol, glycerine and nicotine were found in the gas-phase, as well as high concentrations of PM<sub>2.5</sub> (mean 197  $\mu$ g/m³). The concentration of putative carcinogenic PAH in indoor air increased by 20% to 147 ng/m³, and aluminum showed a 2.4-fold increase. PNC ranged from 48,620 to 88,386 particles/cm³ (median), with peaks at diameters 24–36 nm. FeNO increased in 7 of 9 individuals. The nicotine content of the liquids varied and was 1.2-fold higher than claimed by the manufacturer.

Schober, Wolfgang, et al. "Use of electronic cigarettes (e-cigarettes) impairs indoor air quality and increases FeNO levels of e-cigarette consumers." *International journal of hygiene and environmental health* (2013).

# Public Health warns Montanans against using e-cigs

Posted: Feb 25, 2016 11:54 AM EST









Background

Function and usage

Concerns

Prevalence

Lure

Effects and research

E-cigarette device

Prevalence

Concerns

**FDA** 

#### In the News

#### Child Nicotine Poisoning Prevention Act Becomes Law

On January 28th, President Barack Obama signed the Child Nicotine Poisoning Prevention Act into law. Championed by the AAP and child health advocates, this law will make great strides in keeping children safe by requiring child-resistant packaging on liquid nicotine containers used to refill e-cigarettes.


According to the American Association of Poison Control Centers, there were 3,067 reported exposures to e-cigarettes and liquid nicotine in 2015, with over half occurring in children under the age of six. One child in upstate New York died from liquid nicotine exposure in 2014. Despite the toxicity of these products, there were no federal requirements for child-resistant packaging of liquid nicotine refills. Now, within six months of the law's enactment, the U.S. Consumer Product Safety Commission will enforce requirements for liquid nicotine containers to have child-resistant packaging, similar to other common household products that are dangerous to children like bleach and prescription medicines.

### **FDA**

Extending Authorities to All Tobacco Products, Including E-Cigarettes, Cigars, and Hookah

### Two camps

#### HARM REDUCTION



Transition Period →

With e-cigarettes there are many unknowns, including the unknown health effects of long-term use. Currently, there are no e-cigarettes approved by FDA for therapeutic uses so they cannot be recommended as a cessation aid. For smokers who want to quit cigarettes there are FDA approved treatments which have been proved to be safe and to work, including:





### Counseling

### Take home points

- Not merely water vapor
- No quality control mainly produced in China
- Not enough evidence to support it as a cessation aid
- When heated and vaporized, propylene glycol can form propylene oxide, {International Agency for Research on Cancer class 2B carcinogen}
- Glycerol forms acrolein, which can cause upper respiratory tract irritation
- Like any poison keep bottles away from small children

### **THANKYOU!**

MMARTINASEK@UT.EDU